

Command Line Utility

Introduction

The KeyHelp command line utility is designed to help administrators and developers access selected KeyHelp features.

This tool is designed for non-interactive operation.

Execution & Operation

To launch the toolbox, first connect to your server. Then call the following command from the command line.

```
keyhelp [command]
```

For `[command]`, put the name of the function you want to access.

A call without `[command]` shows the help page of the command and displays all available functions.

Features

Command: help

```
keyhelp help [command]
```

This command displays the help page of the utility.

You can use the optional parameter `[command]` to display the help page of the desired command.

Command: login

```
keyhelp login [username]
```

This command creates a URL that you can use to log into the appropriate user account when called from a web browser.

The parameter `[username]` determines for which user account the URL should be generated. If no `[username]` is specified, the URL is generated for the first main administrator.

The generated login URLs are only valid for a short period of time.

Command: db-login

```
keyhelp db-login
```

This command creates a URL that you can use to log in to the currently configured database management software when called from a web browser.

The login generated this way allows access to all databases and has full root privileges.

The generated login URLs are only valid for a short period of time.

Command: run

```
keyhelp run [name]
```

This command executes the maintenance interval with the specified name.

If no `[name]` is specified, the maintenance interval `update` is executed.

Command: toolbox

```
keyhelp toolbox
```

This command opens the interactive console program [KeyHelp Toolbox](#).

Command: version

```
keyhelp version
```

This command displays version information.

Revision #8

Created 26 April 2022 10:41:35 by Alexander Mahr

Updated 24 October 2022 12:12:42 by Alexander Mahr